



Adelaide Brighton Cement Ltd

an **ADBRI** company

adelaidebrighton.com.au

Adelaide Brighton Cement Ltd
ABN 96 007 870 199
PO Box 77
Port Adelaide SA 5015
+61 8 8300 0300

QUARTERLY DUST MANAGEMENT REPORT FOR BIRKENHEAD WORKS

COMPLIANCE DATE: 30/04/21 – Quarter 1, 2021 **EPA Licence 1126: Dust Management Plan (U-755)**

Licensed site: Adelaide Brighton Cement, Birkenhead Works
62 Elder Road, Birkenhead, SA 5015

Date of Submission: 30 April 2021

Version Number: 1



Report Submitted by: Environmental Engineer

I certify that I have reviewed this report and to the best of my knowledge and ability that all the information provided in this report is a true and accurate reflection of the regulatory monitoring.

Glossary

Term	Definition
$\mu\text{g}/\text{m}^3$	micrograms per cubic metre
μm	micrometre
$^{\circ}\text{C}$	degrees Celsius
m	metre
m^3	cubic metre
m^3/s	cubic metres per second
Nomenclature	Definition
PM ₁₀	Particulate matter with a diameter less than 10 micrometres
PM _{2.5}	Particulate matter with a diameter less than 2.5 micrometres
24 hour average	Calendar day (midnight to midnight)
Abbreviations	Definition
ABC	Adelaide Brighton Cement
Air EPP	South Australian Environment Protection (Air Quality) Policy 2016
DMP	Dust Management Plan
EPA	Environment Protection Authority
TARP	Trigger Action Response Plan

Purpose	The purpose of the Dust Management Plan (DMP) is to facilitate the ongoing implementation of dust control measures to minimise offsite dust from the Facility.
Background Information	<p>The DMP contains a Trigger Action Response Plan (TARP) to proactively manage fugitive dust emissions.</p> <p>The TARP uses three levels of trigger:</p> <ul style="list-style-type: none"> • Low (watch and wait) – early warning to increase awareness of potential dust issues • Medium (investigate) – there may be a potential dust issue and investigate • High (escalate) – dust concentrations are higher than normal, and action may be required <p>Triggers and responses have been defined for:</p> <ul style="list-style-type: none"> • Ambient dust monitoring from on-site monitors • Meteorological parameters (forecasts and observations (e.g. extended dry period with less than 1 mm of rain over 20 days)) • Visual observations <p>Trigger levels and responses are documented in the DMP.</p> <p>All triggers, associated responses and actions are captured in the Dust Management Dashboard and Control System, for reporting and analysis.</p> <p>The Plan is available on the ABC Birkenhead Community Website: https://adelaidebrightoncommunity.com.au/</p>
Reporting Objective	<p>To report on actions taken in response to triggers defined in the Trigger Action Response Plan (TARP), contained within the approved Dust Management Plan (DMP), including;</p> <ul style="list-style-type: none"> • the date, time and trigger value exceeded • action and response strategies implemented <p>To provide a summary report of 24-hour exceedances of PM₁₀ and PM_{2.5} Air (EPP) criteria on ambient particulate monitors in the community.</p>

Particulate Monitor Locations



Map showing sampling locations, major infrastructure, sensitive environmental receptors, and north arrow

Sampling locations are indicated by colour-coded dots on the above map.

NB: Four sampling points are located on the Birkenhead Works site; the other sampling points are in the community (corner of Gunn/ Well streets and Community Park).

TARP Reports

Appendix 1, contains monthly TARP reports detailing the following;

- date, time and trigger value exceeded
- details of the response and action strategies implemented

Exceedance Reports	There were no 24-hour exceedances of PM ₁₀ and PM _{2.5} Air (EPP) criteria on ambient particulate monitors in the community, during this reporting period.
Summary	<p>Summary of TARP alerts and actions for the quarter (refer to appendix 1):</p> <ul style="list-style-type: none"> • A total of 374 trigger alerts were raised for the quarter • A total of 2307 actions in response to the alerts were implemented for the quarter <p>This report confirms the current TARP is assisting in managing dust control measures to minimise offsite dust from the site.</p>
Appendix 1	TARP reports for January, February and March 2021

Trigger Action Response Plan - Response Summary

The tables below show the triggers that were generated as part of the Adelaide Brighton Cement Trigger Action Response Plan (TARP) between 01 January, 2021 and 01 February, 2021 along with the resulting management actions taken.

DT1 Southern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Medium Trigger 08/01/21, 08:00 to 08/01/21, 11:09	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/01/21, 08:55
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/01/21, 11:09
Medium Trigger 12/01/21, 23:00 to 12/01/21, 23:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/01/21, 23:20
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	12/01/21, 23:20
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	12/01/21, 23:20
Low Trigger 17/01/21, 17:00 to 17/01/21, 18:46	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/01/21, 18:46
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 20:21
High Trigger 19/01/21, 21:00 to 20/01/21, 00:33	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/01/21, 20:21
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/01/21, 20:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 00:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/01/21, 00:32
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 06:18
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 07:22
Medium Trigger 20/01/21, 08:00 to 20/01/21, 17:21	Other	N/A (provide comments)	20/01/21, 07:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 17:21
	Other	N/A (provide comments)	20/01/21, 17:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 05:56
Low Trigger 21/01/21, 05:00 to 21/01/21, 05:56	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 07:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 07:27
Medium Trigger 21/01/21, 05:00 to 21/01/21, 05:56	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/01/21, 07:27
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/01/21, 07:27
	Other	N/A (provide comments)	21/01/21, 07:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 09:07
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 09:53

High Trigger 21/01/21, 10:00 to 21/01/21, 12:11	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 12:10	
	Ensure all routine dust management practices have been implemented	Other (provide comments)	21/01/21, 12:10	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/01/21, 12:10	
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	21/01/21, 12:10	
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	21/01/21, 12:10	
	Mobilise water cart or apply additional water sprays	Other (provide comments)	21/01/21, 12:10	
	Other	N/A (provide comments)	21/01/21, 12:10	
High Trigger 22/01/21, 07:00 to 22/01/21, 08:13	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/01/21, 08:12	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/01/21, 08:12	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	22/01/21, 08:12	
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	22/01/21, 08:12	
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	22/01/21, 08:12	
	Mobilise water cart or apply additional water sprays	Mobilised water cart	22/01/21, 08:12	
Low Trigger 23/01/21, 22:00 to 24/01/21, 03:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/01/21, 03:28	
	Other	N/A (provide comments)	24/01/21, 03:28	
High Trigger 25/01/21, 09:00 to 25/01/21, 11:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 09:21	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 09:21	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 10:58	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 10:58	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 11:28	
Medium Trigger 25/01/21, 14:00 to 25/01/21, 14:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 13:55	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 14:28	
Low Trigger 25/01/21, 17:00 to 25/01/21, 17:59	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 17:59	
High Trigger 28/01/21, 04:00 to 28/01/21, 08:06	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	No operators in the area	28/01/21, 08:05	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	No operators in the area	28/01/21, 08:06	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 08:31	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	28/01/21, 08:31	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	28/01/21, 08:31	
	Other	N/A (provide comments)	28/01/21, 08:31	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 10:34	
	Medium Trigger 28/01/21, 07:00 to 28/01/21, 10:34	Other	N/A (provide comments)	28/01/21, 10:34

DT2 Eastern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Medium Trigger 01/01/21, 04:00 to 01/01/21, 05:08	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/01/21, 05:07
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	01/01/21, 05:07
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	01/01/21, 05:07
Medium Trigger 01/01/21, 06:00 to 01/01/21, 09:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/01/21, 06:24
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	01/01/21, 06:24
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	01/01/21, 06:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/01/21, 09:22
Low Trigger 01/01/21, 17:00 to 01/01/21, 18:54	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/01/21, 17:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/01/21, 18:54
Medium Trigger 02/01/21, 10:00 to 02/01/21, 10:50	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/01/21, 10:49
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	02/01/21, 10:49
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	02/01/21, 10:49
Low Trigger 02/01/21, 15:00 to 02/01/21, 16:41	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/01/21, 16:41
Low Trigger 04/01/21, 17:00 to 04/01/21, 23:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/01/21, 23:22
Medium Trigger 07/01/21, 16:00 to 07/01/21, 16:54	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/01/21, 16:08
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/01/21, 16:54
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	07/01/21, 16:54
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	07/01/21, 16:54
Medium Trigger 08/01/21, 08:00 to 08/01/21, 08:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/01/21, 08:55
Low Trigger 08/01/21, 17:00 to 08/01/21, 18:30	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/01/21, 18:30
Low Trigger 10/01/21, 00:00 to 10/01/21, 04:08	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/01/21, 04:07
Medium Trigger 11/01/21, 02:00 to 11/01/21, 02:52	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 02:52
Low Trigger 11/01/21, 10:00 to 11/01/21, 12:51	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 11:43
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 12:50
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 19:15
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/01/21, 19:15
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 20:18

Medium Trigger 11/01/21, 19:00 to 11/01/21, 22:06	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/01/21, 20:18
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 22:06
Medium Trigger 12/01/21, 15:00 to 12/01/21, 19:53	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/01/21, 15:22
	Ensure all routine dust management practices have been implemented	Other (provide comments)	12/01/21, 15:22
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	12/01/21, 15:22
	Other	N/A (provide comments)	12/01/21, 15:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/01/21, 19:53
Medium Trigger 13/01/21, 00:00 to 13/01/21, 09:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/01/21, 09:43
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	13/01/21, 09:43
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	13/01/21, 09:43
	Other	N/A (provide comments)	13/01/21, 09:43
Low Trigger 13/01/21, 07:00 to 13/01/21, 09:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/01/21, 09:42
	Other	N/A (provide comments)	13/01/21, 09:42
Medium Trigger 14/01/21, 08:00 to 14/01/21, 16:18	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/01/21, 16:17
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	14/01/21, 16:17
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	14/01/21, 16:17
Low Trigger 18/01/21, 10:00 to 18/01/21, 10:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/01/21, 10:24
High Trigger 19/01/21, 18:00 to 19/01/21, 18:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 08:42
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 16:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 17:38
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 18:19
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/01/21, 18:19
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/01/21, 18:19
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	19/01/21, 18:19
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	19/01/21, 18:19
	Mobilise water cart or apply additional water sprays	Other (provide comments)	19/01/21, 18:19
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 06:18
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 07:22
Ensure all routine dust management practices have been implemented	Other (provide comments)	20/01/21, 07:22	
Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/01/21, 07:22	
Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	Other (provide comments)	20/01/21, 07:22	

High Trigger 20/01/21, 07:00 to 20/01/21, 17:22	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	20/01/21, 07:22	
	Mobilise water cart or apply additional water sprays	Other (provide comments)	20/01/21, 07:22	
	Other	N/A (provide comments)	20/01/21, 07:22	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 17:21	
Medium Trigger 21/01/21, 02:00 to 21/01/21, 04:06	Other	N/A (provide comments)	20/01/21, 17:21	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 01:51	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 02:54	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/01/21, 02:54	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/01/21, 02:54	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 04:06	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/01/21, 04:06	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/01/21, 04:06	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 05:56	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 06:46	
High Trigger 21/01/21, 06:00 to 21/01/21, 12:12	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/01/21, 06:46	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	21/01/21, 06:46	
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	21/01/21, 06:46	
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	21/01/21, 06:46	
	Mobilise water cart or apply additional water sprays	Other (provide comments)	21/01/21, 06:46	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 07:28	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/01/21, 07:28	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/01/21, 07:28	
	Other	N/A (provide comments)	21/01/21, 07:28	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 09:06	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 09:52	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 12:11	
	Other	N/A (provide comments)	21/01/21, 12:11	
	Low Trigger 22/01/21, 03:00 to 22/01/21, 03:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/01/21, 03:20
		Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/01/21, 08:11
		Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/01/21, 08:11
Medium Trigger 22/01/21, 07:00 to 22/01/21, 08:12	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	22/01/21, 08:11	

Low Trigger 23/01/21, 05:00 to 23/01/21, 05:31	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/01/21, 05:31
Low Trigger 23/01/21, 07:00 to 23/01/21, 08:31	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/01/21, 08:30
Low Trigger 24/01/21, 14:00 to 24/01/21, 14:50	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/01/21, 14:50
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 09:21
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 09:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 10:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 10:58
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 11:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 12:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 13:55
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 14:28
High Trigger 25/01/21, 09:00 to 25/01/21, 14:28	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 14:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 04:44
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	28/01/21, 04:44
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 08:31
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	28/01/21, 08:31
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	28/01/21, 08:31
High Trigger 28/01/21, 05:00 to 28/01/21, 08:32	Other	N/A (provide comments)	28/01/21, 08:31
Low Trigger 28/01/21, 13:00 to 28/01/21, 16:57	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Other (provide comments)	28/01/21, 16:57
Low Trigger 28/01/21, 17:00 to 28/01/21, 18:52	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 18:51
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/01/21, 06:36
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	29/01/21, 06:36
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	29/01/21, 06:36
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/01/21, 14:10
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	29/01/21, 14:10
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	29/01/21, 14:10
Medium Trigger 29/01/21, 06:00 to 29/01/21, 14:10	Other	N/A (provide comments)	29/01/21, 14:10
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/01/21, 16:59
Medium Trigger 30/01/21, 09:00 to 30/01/21, 17:00	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	30/01/21, 16:59
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	30/01/21, 16:59
Low Trigger 30/01/21, 12:00 to 30/01/21, 17:00	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/01/21, 17:00

Low Trigger 30/01/21, 16:00 to 30/01/21, 17:01	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/01/21, 17:01
---	--	-------------------	-----------------

DT3 Block 9

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 03/01/21, 18:00 to 03/01/21, 18:56	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/01/21, 18:56
Medium Trigger 06/01/21, 16:00 to 06/01/21, 16:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/01/21, 15:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/01/21, 16:28
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	06/01/21, 16:28
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	06/01/21, 16:28
	Low Trigger 07/01/21, 17:00 to 07/01/21, 17:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted
Low Trigger 12/01/21, 15:00 to 12/01/21, 15:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/01/21, 15:23
	Other	N/A (provide comments)	12/01/21, 15:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 11:10
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 11:10
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	15/01/21, 11:10
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 12:21
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 12:21
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/01/21, 12:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 13:37
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 13:37
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/01/21, 13:37
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 14:40
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 14:40
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/01/21, 14:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 15:35
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 16:20
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 16:20
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/01/21, 16:20
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 18:00
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 18:00
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/01/21, 18:00
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 18:33
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/01/21, 18:33

Medium Trigger 15/01/21, 09:00 to 15/01/21, 21:50	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/01/21, 18:33
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/01/21, 21:49
	Other	N/A (provide comments)	15/01/21, 21:49
Low Trigger 16/01/21, 15:00 to 16/01/21, 18:45	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/01/21, 18:45
Low Trigger 18/01/21, 18:00 to 19/01/21, 01:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 01:21
High Trigger 25/01/21, 09:00 to 25/01/21, 11:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 09:21
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 09:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 10:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 10:58
Medium Trigger 25/01/21, 14:00 to 25/01/21, 14:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 11:28
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 14:28
Low Trigger 30/01/21, 16:00 to 30/01/21, 18:16	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/01/21, 17:01
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/01/21, 18:15
Medium Trigger 31/01/21, 14:00 to 31/01/21, 18:11	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/01/21, 14:52
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/01/21, 14:52
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/01/21, 15:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/01/21, 15:32
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/01/21, 16:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/01/21, 16:58
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/01/21, 18:11

DT5 Northern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 01/01/21, 06:00 to 01/01/21, 06:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/01/21, 06:24
Low Trigger 02/01/21, 00:00 to 02/01/21, 01:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/01/21, 01:43
Low Trigger 02/01/21, 16:00 to 02/01/21, 16:41	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/01/21, 16:41
Medium Trigger 03/01/21, 20:00 to 04/01/21, 01:04	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/01/21, 01:04
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	04/01/21, 01:04
Medium Trigger 04/01/21, 09:00 to 04/01/21, 14:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/01/21, 14:10
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	04/01/21, 14:10
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	04/01/21, 14:10
	Other	N/A (provide comments)	04/01/21, 14:10
High Trigger 04/01/21, 11:00 to 04/01/21, 14:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/01/21, 14:09
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	04/01/21, 14:09
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	04/01/21, 14:09
	Other	N/A (provide comments)	04/01/21, 14:09
Medium Trigger 04/01/21, 14:00 to 04/01/21, 23:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/01/21, 23:23
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	04/01/21, 23:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	04/01/21, 23:23
Low Trigger 05/01/21, 09:00 to 05/01/21, 19:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/01/21, 19:54
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/01/21, 19:55
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	05/01/21, 19:55
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	05/01/21, 19:55
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	Other (provide comments)	05/01/21, 19:55
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	05/01/21, 19:55
	Mobilise water cart or apply additional water sprays	Other (provide comments)	05/01/21, 19:55
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/01/21, 23:17
Low Trigger 05/01/21, 20:00 to 05/01/21, 23:17	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/01/21, 15:20
Low Trigger 06/01/21, 12:00 to 06/01/21, 15:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/01/21, 15:22
Low Trigger 06/01/21, 15:00 to 06/01/21, 15:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/01/21, 16:08
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/01/21, 16:54

Low Trigger 07/01/21, 15:00 to 07/01/21, 17:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/01/21, 17:23
Low Trigger 07/01/21, 21:00 to 07/01/21, 22:14	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/01/21, 22:14
Medium Trigger 08/01/21, 08:00 to 08/01/21, 11:09	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/01/21, 08:54
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/01/21, 11:09
Medium Trigger 09/01/21, 08:00 to 09/01/21, 08:32	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/01/21, 08:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	09/01/21, 08:32
Low Trigger 10/01/21, 00:00 to 10/01/21, 04:08	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/01/21, 04:08
Low Trigger 10/01/21, 02:00 to 10/01/21, 04:08	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/01/21, 04:08
Medium Trigger 10/01/21, 22:00 to 11/01/21, 01:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/01/21, 01:42
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/01/21, 10:37
Medium Trigger 12/01/21, 09:00 to 12/01/21, 10:37	Ensure all routine dust management practices have been implemented	Other (provide comments)	12/01/21, 10:37
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	12/01/21, 10:37
	Other	N/A (provide comments)	12/01/21, 10:37
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/01/21, 09:42
Low Trigger 13/01/21, 03:00 to 13/01/21, 09:42	Other	N/A (provide comments)	13/01/21, 09:42
Low Trigger 14/01/21, 06:00 to 14/01/21, 06:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/01/21, 06:22
Low Trigger 14/01/21, 08:00 to 14/01/21, 08:17	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/01/21, 08:17
Low Trigger 19/01/21, 20:00 to 20/01/21, 00:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/01/21, 20:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 00:33
Medium Trigger 20/01/21, 03:00 to 20/01/21, 15:59	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 04:04
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/01/21, 04:04
High Trigger 20/01/21, 08:00 to 20/01/21, 17:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 07:21
	Ensure all routine dust management practices have been implemented	Other (provide comments)	20/01/21, 07:21
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/01/21, 07:21
	Other	N/A (provide comments)	20/01/21, 07:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/01/21, 17:21
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/01/21, 17:21
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	20/01/21, 17:21
Low Trigger 20/01/21, 21:00 to 21/01/21, 01:51	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 01:51
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 01:50

Medium Trigger 20/01/21, 23:00 to 21/01/21, 01:51	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/01/21, 01:50
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/01/21, 01:50
Medium Trigger 21/01/21, 08:00 to 21/01/21, 12:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 09:05
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 09:50
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/01/21, 12:09
	Other	N/A (provide comments)	21/01/21, 12:09
Low Trigger 23/01/21, 07:00 to 23/01/21, 08:31	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/01/21, 08:31
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/01/21, 21:36
Medium Trigger 23/01/21, 21:00 to 23/01/21, 21:37	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/01/21, 21:36
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	23/01/21, 21:36
	Other	N/A (provide comments)	23/01/21, 21:36
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/01/21, 03:29
Medium Trigger 24/01/21, 02:00 to 24/01/21, 03:29	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	24/01/21, 03:29
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	24/01/21, 03:29
	Other	N/A (provide comments)	24/01/21, 03:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/01/21, 10:39
Low Trigger 24/01/21, 09:00 to 24/01/21, 10:39	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 09:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 09:22
High Trigger 25/01/21, 09:00 to 25/01/21, 14:28	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 09:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 10:59
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 10:59
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 11:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 12:29
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/01/21, 12:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 13:55
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 14:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/01/21, 16:30
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	27/01/21, 19:38
Medium Trigger 27/01/21, 12:00 to 27/01/21, 19:38	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	27/01/21, 19:38
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 04:43
Low Trigger 27/01/21, 20:00 to 28/01/21, 04:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 04:43
Low Trigger 28/01/21, 02:00 to 28/01/21, 04:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/01/21, 04:43

Low Trigger 28/01/21, 06:00 to 28/01/21, 08:06	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	No operators in the area	28/01/21, 08:06
---	--	--------------------------	-----------------

Meteorology - Observations

Trigger Time	Response	Action Taken	Action Recorded
Medium Trigger 25/01/21, 01:00 to 25/01/21, 01:32	Assess potential for shifting operations to more favourable conditions	No current activities	25/01/21, 01:31
	Ensure water truck is on standby to apply water	Water truck is on standby	25/01/21, 01:31
	Pre-emptive watering of stockpiles before handling	Watering not required	25/01/21, 01:31
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	25/01/21, 01:31
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	25/01/21, 01:31
	Additional watering if warranted	Additional watering not required	25/01/21, 01:31

Meteorology - Forecast

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 04/01/21, 06:00 to 04/01/21, 09:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 14:10
	Ensure water truck is on standby to apply water	Water truck is operational	04/01/21, 14:10
	Pre-emptive watering of stockpiles before handling	Watering completed	04/01/21, 14:10
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 14:10
	Other	N/A (provide comments)	04/01/21, 14:10
Low Trigger 04/01/21, 12:00 to 04/01/21, 15:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 14:08
	Ensure water truck is on standby to apply water	Water truck is operational	04/01/21, 14:08
	Pre-emptive watering of stockpiles before handling	Watering completed	04/01/21, 14:08
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 14:08
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 14:08
	Additional watering if warranted	Additional watering completed	04/01/21, 14:08
	Other	N/A (provide comments)	04/01/21, 14:08
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 23:21
	Ensure water truck is on standby to apply water	Water truck is on standby	04/01/21, 23:21
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 23:21
Medium Trigger 04/01/21, 15:00 to 04/01/21, 18:00	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 23:21
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 14:08
	Ensure water truck is on standby to apply water	Water truck is operational	04/01/21, 14:08
	Pre-emptive watering of stockpiles before handling	Watering completed	04/01/21, 14:08
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 14:08
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 14:08
	Additional watering if warranted	Additional watering completed	04/01/21, 14:08
	Other	N/A (provide comments)	04/01/21, 14:08
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 23:21
	Ensure water truck is on standby to apply water	Water truck is on standby	04/01/21, 23:21
Medium Trigger 04/01/21, 18:00 to 04/01/21, 21:00	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 23:21
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 23:21
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 14:08
	Ensure water truck is on standby to apply water	Water truck is operational	04/01/21, 14:08
	Pre-emptive watering of stockpiles before handling	Watering completed	04/01/21, 14:08
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 14:08
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 14:08
	Additional watering if warranted	Additional watering completed	04/01/21, 14:08
	Other	N/A (provide comments)	04/01/21, 14:08
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 23:21
Medium Trigger 04/01/21, 21:00 to 05/01/21, 00:00	Ensure water truck is on standby to apply water	Water truck is on standby	04/01/21, 23:21
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 23:21
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 23:21
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 14:08
	Ensure water truck is on standby to apply water	Water truck is operational	04/01/21, 14:08
	Pre-emptive watering of stockpiles before handling	Watering completed	04/01/21, 14:08
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 14:08
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 14:08
	Additional watering if warranted	Additional watering completed	04/01/21, 14:08
	Other	N/A (provide comments)	04/01/21, 14:08

Low Trigger 05/01/21, 00:00 to 05/01/21, 03:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 14:08
	Ensure water truck is on standby to apply water	Water truck is operational	04/01/21, 14:08
	Pre-emptive watering of stockpiles before handling	Watering completed	04/01/21, 14:08
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 14:08
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 14:08
	Additional watering if warranted	Additional watering completed	04/01/21, 14:08
	Other	N/A (provide comments)	04/01/21, 14:08
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	04/01/21, 23:21
	Ensure water truck is on standby to apply water	Water truck is on standby	04/01/21, 23:21
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/01/21, 23:21
Medium Trigger 05/01/21, 18:00 to 05/01/21, 21:00	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	04/01/21, 23:21
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	05/01/21, 19:56
	Ensure water truck is on standby to apply water	Water truck is on standby	05/01/21, 19:56
	Pre-emptive watering of stockpiles before handling	Watering completed	05/01/21, 19:56
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	05/01/21, 19:56
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	05/01/21, 19:56
	Additional watering if warranted	Additional watering not required	05/01/21, 19:56
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	05/01/21, 19:56
	Ensure water truck is on standby to apply water	Water truck is on standby	05/01/21, 19:56
	Pre-emptive watering of stockpiles before handling	Watering completed	05/01/21, 19:56
Low Trigger 05/01/21, 21:00 to 06/01/21, 00:00	Visual observations of site every 3 hours	Operators inspecting site for visible dust	05/01/21, 19:56
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	05/01/21, 19:56
	Additional watering if warranted	Additional watering not required	05/01/21, 19:56
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	05/01/21, 19:56
	Ensure water truck is on standby to apply water	Water truck is on standby	05/01/21, 19:56
	Pre-emptive watering of stockpiles before handling	Watering completed	05/01/21, 19:56
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	05/01/21, 19:56
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	05/01/21, 19:56
	Additional watering if warranted	Additional watering not required	05/01/21, 19:56
	Assess potential for shifting operations to more favourable conditions	No current activities	06/01/21, 18:48
Medium Trigger 06/01/21, 18:00 to 06/01/21, 21:00	Ensure water truck is on standby to apply water	Water truck is on standby	06/01/21, 18:48
	Pre-emptive watering of stockpiles before handling	Watering not required	06/01/21, 18:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	06/01/21, 18:48
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	06/01/21, 18:48
	Additional watering if warranted	Additional watering not required	06/01/21, 18:48
	Assess potential for shifting operations to more favourable conditions	No current activities	06/01/21, 18:48
	Ensure water truck is on standby to apply water	Water truck is on standby	06/01/21, 18:48
	Pre-emptive watering of stockpiles before handling	Watering not required	06/01/21, 18:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	06/01/21, 18:48
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	06/01/21, 18:48
Low Trigger 06/01/21, 21:00 to 07/01/21, 00:00	Additional watering if warranted	Additional watering not required	06/01/21, 18:48
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	11/01/21, 18:44
	Ensure water truck is on standby to apply water	Water truck is on standby	11/01/21, 18:44
	Pre-emptive watering of stockpiles before handling	Watering not required	11/01/21, 18:44
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	11/01/21, 18:44
	Assess potential for shifting operations to more favourable conditions	No current activities	15/01/21, 18:33
	Ensure water truck is on standby to apply water	Water truck is on standby	15/01/21, 18:33
	Pre-emptive watering of stockpiles before handling	Watering not required	15/01/21, 18:33
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	15/01/21, 18:33
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/01/21, 08:40
Low Trigger 15/01/21, 21:00 to 16/01/21, 00:00	Ensure water truck is on standby to apply water	Water truck is on standby	19/01/21, 08:40
	Pre-emptive watering of stockpiles before handling	Watering not required	19/01/21, 08:40
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/01/21, 08:40

Medium Trigger 18/01/21, 18:00 to 18/01/21, 21:00	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/01/21, 08:40
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	19/01/21, 08:40
Low Trigger 24/01/21, 06:00 to 24/01/21, 09:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	24/01/21, 07:06
	Ensure water truck is on standby to apply water	Water truck is on standby	24/01/21, 07:06
Low Trigger 24/01/21, 09:00 to 24/01/21, 12:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	24/01/21, 07:06
	Ensure water truck is on standby to apply water	Water truck is on standby	24/01/21, 07:06
Low Trigger 26/01/21, 18:00 to 26/01/21, 21:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	27/01/21, 09:15
	Ensure water truck is on standby to apply water	Water truck is on standby	27/01/21, 09:15
	Pre-emptive watering of stockpiles before handling	Watering not required	27/01/21, 09:15
Medium Trigger 30/01/21, 18:00 to 30/01/21, 21:00	Visual observations of site every 3 hours	Operators inspecting site for visible dust	27/01/21, 09:15
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	30/01/21, 18:16
	Ensure water truck is on standby to apply water	Water truck is operational	30/01/21, 18:16
	Pre-emptive watering of stockpiles before handling	Watering completed	30/01/21, 18:16

Visual Observations

No triggers during this period

Trigger Action Response Plan - Response Summary

The tables below show the triggers that were generated as part of the Adelaide Brighton Cement Trigger Action Response Plan (TARP) between 01 February, 2021 and 01 March, 2021 along with the resulting management actions taken.

DT1 Southern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 04/02/21, 05:00 to 04/02/21, 10:10	Other	No action required - conditions already addressed	04/02/21, 10:08
Medium Trigger 10/02/21, 09:00 to 10/02/21, 10:38	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 08:16
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 09:50
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	10/02/21, 09:50
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 10:38
Medium Trigger 10/02/21, 23:00 to 11/02/21, 06:17	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 23:21
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	10/02/21, 23:21
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	10/02/21, 23:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/02/21, 06:16
Medium Trigger 11/02/21, 02:00 to 11/02/21, 06:17	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/02/21, 06:17
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/02/21, 06:17
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	11/02/21, 06:17
Medium Trigger 15/02/21, 08:00 to 15/02/21, 10:00	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 07:25
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 08:39
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/02/21, 08:39
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/02/21, 08:39
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 10:00
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/02/21, 10:00
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/02/21, 10:00
Low Trigger 16/02/21, 09:00 to 16/02/21, 11:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 11:33
Low Trigger 16/02/21, 11:00 to 16/02/21, 11:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 11:32
Low Trigger 16/02/21, 23:00 to 17/02/21, 00:13	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 00:13

High Trigger 17/02/21, 08:00 to 17/02/21, 08:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 07:42
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 08:21
Low Trigger 18/02/21, 01:00 to 18/02/21, 04:45	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/02/21, 01:57
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/02/21, 04:45
Low Trigger 25/02/21, 09:00 to 25/02/21, 09:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/02/21, 09:23
Low Trigger 27/02/21, 09:00 to 27/02/21, 09:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	27/02/21, 09:24

DT2 Eastern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 01/02/21, 15:00 to 01/02/21, 15:26	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/02/21, 15:26
Low Trigger 02/02/21, 10:00 to 02/02/21, 10:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 10:42
Low Trigger 02/02/21, 12:00 to 02/02/21, 13:07	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 13:07
Low Trigger 02/02/21, 15:00 to 03/02/21, 13:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 15:41
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 17:04
Medium Trigger 09/02/21, 04:00 to 09/02/21, 07:12	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/02/21, 07:12
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	09/02/21, 07:12
Low Trigger 10/02/21, 02:00 to 10/02/21, 05:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 05:23
Medium Trigger 10/02/21, 05:00 to 10/02/21, 05:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 05:23
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	10/02/21, 05:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	10/02/21, 05:23
Medium Trigger 10/02/21, 10:00 to 10/02/21, 10:38	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 08:16
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 09:51
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 10:38
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	10/02/21, 10:38
Low Trigger 10/02/21, 22:00 to 10/02/21, 23:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 23:21
Medium Trigger 11/02/21, 07:00 to 12/02/21, 00:56	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/02/21, 07:45
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/02/21, 07:45
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	11/02/21, 07:45
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/02/21, 00:56
Low Trigger 11/02/21, 13:00 to 12/02/21, 00:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/02/21, 00:55
Low Trigger 11/02/21, 17:00 to 12/02/21, 00:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/02/21, 00:55
Low Trigger 12/02/21, 12:00 to 12/02/21, 14:45	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/02/21, 14:45
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 06:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 07:25
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/02/21, 07:25
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/02/21, 07:25

Medium Trigger 15/02/21, 07:00 to 15/02/21, 11:18	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 08:38
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/02/21, 08:38
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/02/21, 08:38
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 09:59
Medium Trigger 16/02/21, 03:00 to 16/02/21, 06:15	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 11:17
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 03:57
Medium Trigger 16/02/21, 11:00 to 16/02/21, 11:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 06:15
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 11:33
Medium Trigger 16/02/21, 22:00 to 17/02/21, 00:12	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 11:33
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/02/21, 00:12
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	17/02/21, 00:12
Medium Trigger 17/02/21, 07:00 to 17/02/21, 08:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 00:12
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 07:41
Low Trigger 20/02/21, 17:00 to 20/02/21, 19:00	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 08:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/02/21, 17:44
Low Trigger 21/02/21, 15:00 to 21/02/21, 21:07	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/02/21, 19:00
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/02/21, 21:06
Low Trigger 23/02/21, 14:00 to 23/02/21, 14:49	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/02/21, 14:49
Low Trigger 24/02/21, 04:00 to 24/02/21, 08:34	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/02/21, 08:34
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/02/21, 08:35
Low Trigger 24/02/21, 08:00 to 24/02/21, 11:52	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/02/21, 11:51
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/02/21, 09:22
Medium Trigger 25/02/21, 09:00 to 25/02/21, 09:23	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	25/02/21, 09:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	26/02/21, 22:02
Medium Trigger 26/02/21, 21:00 to 27/02/21, 02:18	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	26/02/21, 22:02
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	26/02/21, 22:02
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	27/02/21, 02:18
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	27/02/21, 02:18
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	27/02/21, 02:18

Low Trigger 27/02/21, 14:00 to 27/02/21, 15:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	27/02/21, 15:55
Medium Trigger 27/02/21, 23:00 to 28/02/21, 00:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/02/21, 00:20
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	28/02/21, 00:20
Low Trigger 28/02/21, 01:00 to 28/02/21, 02:18	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/02/21, 02:18
Low Trigger 28/02/21, 15:00 to 28/02/21, 19:25	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/02/21, 19:25

DT3 Block 9

Trigger Time	Response	Action Taken	Action Recorded
Medium Trigger 01/02/21, 14:00 to 01/02/21, 18:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/02/21, 15:26
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/02/21, 18:29
Medium Trigger 01/02/21, 18:00 to 01/02/21, 18:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/02/21, 18:29
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	01/02/21, 18:29
Medium Trigger 02/02/21, 15:00 to 02/02/21, 15:41	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 15:41
Medium Trigger 09/02/21, 17:00 to 09/02/21, 20:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/02/21, 16:32
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/02/21, 20:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	09/02/21, 20:32
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	09/02/21, 20:32
Low Trigger 11/02/21, 17:00 to 12/02/21, 00:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/02/21, 00:55
Medium Trigger 14/02/21, 16:00 to 14/02/21, 17:16	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/02/21, 17:15
Medium Trigger 21/02/21, 17:00 to 21/02/21, 21:06	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/02/21, 21:05
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/02/21, 21:05
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	21/02/21, 21:05

DT5 Northern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 01/02/21, 15:00 to 01/02/21, 15:26	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/02/21, 15:25
Medium Trigger 02/02/21, 10:00 to 02/02/21, 10:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 10:42
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	02/02/21, 10:42
Medium Trigger 02/02/21, 14:00 to 02/02/21, 15:41	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 13:07
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	02/02/21, 15:41
Low Trigger 08/02/21, 17:00 to 08/02/21, 17:26	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/02/21, 17:24
Low Trigger 08/02/21, 23:00 to 09/02/21, 07:12	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/02/21, 07:11
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/02/21, 12:53
Medium Trigger 09/02/21, 11:00 to 09/02/21, 16:32	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/02/21, 16:32
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 05:23
Low Trigger 10/02/21, 05:00 to 10/02/21, 05:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 08:16
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 09:50
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	10/02/21, 09:50
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 10:39
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	10/02/21, 10:39
High Trigger 10/02/21, 10:00 to 10/02/21, 10:39	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/02/21, 23:21
Low Trigger 10/02/21, 22:00 to 10/02/21, 23:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/02/21, 07:44
Medium Trigger 11/02/21, 07:00 to 11/02/21, 07:45	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/02/21, 07:44
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	11/02/21, 07:44
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 07:24
Medium Trigger 15/02/21, 07:00 to 15/02/21, 11:17	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	15/02/21, 07:24
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	15/02/21, 07:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 08:38
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 10:00
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	15/02/21, 11:17
Medium Trigger 15/02/21, 07:00 to 15/02/21, 11:17	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 01:11
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	16/02/21, 01:11

Medium Trigger 15/02/21, 22:00 to 16/02/21, 01:30	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 01:30
Medium Trigger 16/02/21, 11:00 to 16/02/21, 11:32	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/02/21, 11:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	16/02/21, 11:32
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	16/02/21, 11:32
High Trigger 16/02/21, 23:00 to 17/02/21, 00:13	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 00:13
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/02/21, 00:13
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	17/02/21, 00:13
Low Trigger 17/02/21, 03:00 to 17/02/21, 04:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 04:27
Medium Trigger 17/02/21, 07:00 to 17/02/21, 12:47	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 07:42
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 12:47
Medium Trigger 17/02/21, 21:00 to 18/02/21, 01:57	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/02/21, 21:24
	Ensure all routine dust management practices have been implemented	Other (provide comments)	17/02/21, 21:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/02/21, 01:57
Low Trigger 20/02/21, 09:00 to 20/02/21, 11:00	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/02/21, 11:00
Low Trigger 22/02/21, 10:00 to 22/02/21, 19:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/02/21, 19:20
Medium Trigger 23/02/21, 09:00 to 23/02/21, 16:30	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/02/21, 11:56
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/02/21, 11:56
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	23/02/21, 11:56
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/02/21, 12:20
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/02/21, 14:49
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/02/21, 16:29
Medium Trigger 23/02/21, 18:00 to 24/02/21, 08:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/02/21, 08:33
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	24/02/21, 08:33
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	24/02/21, 08:33
Low Trigger 24/02/21, 07:00 to 24/02/21, 08:35	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/02/21, 08:34
Low Trigger 24/02/21, 10:00 to 24/02/21, 11:52	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/02/21, 11:52
Low Trigger 24/02/21, 19:00 to 25/02/21, 00:46	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/02/21, 00:45
Medium Trigger 25/02/21, 09:00 to 25/02/21, 09:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	25/02/21, 09:22
Low Trigger 26/02/21, 21:00 to 26/02/21, 22:02	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	26/02/21, 22:02

Medium Trigger 28/02/21, 03:00 to 28/02/21, 03:51	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/02/21, 03:51
Medium Trigger 28/02/21, 08:00 to 28/02/21, 09:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	28/02/21, 09:21
Medium Trigger 28/02/21, 22:00 to 01/03/21, 00:46	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/03/21, 00:46
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	01/03/21, 00:46

Meteorology - Observations

No triggers during this period

Meteorology - Forecast

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 01/02/21, 21:00 to 02/02/21, 00:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	01/02/21, 18:28
	Ensure water truck is on standby to apply water	Water truck is on standby	01/02/21, 18:28
Low Trigger 02/02/21, 00:00 to 02/02/21, 03:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	01/02/21, 18:28
	Ensure water truck is on standby to apply water	Water truck is on standby	01/02/21, 18:28
Low Trigger 02/02/21, 18:00 to 02/02/21, 21:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	02/02/21, 18:32
	Ensure water truck is on standby to apply water	Water truck is on standby	02/02/21, 18:32
Low Trigger 07/02/21, 18:00 to 07/02/21, 21:00	Assess potential for shifting operations to more favourable conditions	No current activities	07/02/21, 18:46
	Ensure water truck is on standby to apply water	Water truck is on standby	07/02/21, 18:46
	Pre-emptive watering of stockpiles before handling	Watering not required	07/02/21, 18:46
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	07/02/21, 18:46
Low Trigger 17/02/21, 12:00 to 17/02/21, 15:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	17/02/21, 12:47
Low Trigger 18/02/21, 09:00 to 18/02/21, 12:00	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
	Other	No action required - other (provide comments)	18/02/21, 20:50
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09
	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
Low Trigger 18/02/21, 12:00 to 18/02/21, 15:00	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
	Other	No action required - other (provide comments)	18/02/21, 20:50
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09
	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
Low Trigger 18/02/21, 12:00 to 18/02/21, 15:00	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
	Other	No action required - other (provide comments)	18/02/21, 20:50
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09
	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09

Low Trigger 18/02/21, 15:00 to 18/02/21, 18:00	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
	Other	No action required - other (provide comments)	18/02/21, 20:50
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09
Low Trigger 18/02/21, 18:00 to 18/02/21, 21:00	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
	Other	No action required - other (provide comments)	18/02/21, 20:50
Medium Trigger 18/02/21, 21:00 to 19/02/21, 00:00	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09
	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
Other	No action required - other (provide comments)	18/02/21, 20:50	
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09
	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48
Other	No action required - other (provide comments)	18/02/21, 20:50	

Medium Trigger 19/02/21, 00:00 to 19/02/21, 03:00	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32	
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48	
	Ensure water truck is on standby to apply water	Water truck is operational	18/02/21, 06:48	
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 06:48	
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 06:48	
	Other	No action required - other (provide comments)	18/02/21, 20:50	
	Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 19:09	
	Ensure water truck is on standby to apply water	Water truck is on standby	18/02/21, 19:09	
	Pre-emptive watering of stockpiles before handling	Watering not required	18/02/21, 19:09	
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	18/02/21, 19:09	
	Visual observations of major stockpiles	Operators inspecting major stockpiles for visible dust	18/02/21, 19:09	
	Additional watering if warranted	Additional watering not required	18/02/21, 19:09	
	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	19/02/21, 07:32	
	Ensure water truck is on standby to apply water	Water truck is operational	19/02/21, 07:32	
	Pre-emptive watering of stockpiles before handling	Watering completed	19/02/21, 07:32	
	Medium Trigger 19/02/21, 03:00 to 19/02/21, 06:00	Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
		Assess potential for shifting operations to more favourable conditions	No current activities	18/02/21, 06:48
Ensure water truck is on standby to apply water		Water truck is operational	18/02/21, 06:48	
Pre-emptive watering of stockpiles before handling		Watering not required	18/02/21, 06:48	
Visual observations of site every 3 hours		Operators inspecting site for visible dust	18/02/21, 06:48	
Other		No action required - other (provide comments)	18/02/21, 20:50	
Assess potential for shifting operations to more favourable conditions		No current activities	18/02/21, 19:09	
Ensure water truck is on standby to apply water		Water truck is on standby	18/02/21, 19:09	
Pre-emptive watering of stockpiles before handling		Watering not required	18/02/21, 19:09	
Visual observations of site every 3 hours		Operators inspecting site for visible dust	18/02/21, 19:09	
Visual observations of major stockpiles		Operators inspecting major stockpiles for visible dust	18/02/21, 19:09	
Additional watering if warranted		Additional watering not required	18/02/21, 19:09	
Assess potential for shifting operations to more favourable conditions		No opportunity to shift operations	19/02/21, 07:32	
Ensure water truck is on standby to apply water		Water truck is operational	19/02/21, 07:32	
Pre-emptive watering of stockpiles before handling		Watering completed	19/02/21, 07:32	
Low Trigger 19/02/21, 06:00 to 19/02/21, 09:00		Visual observations of site every 3 hours	Operators inspecting site for visible dust	19/02/21, 07:32
		Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	22/02/21, 19:20
Low Trigger 22/02/21, 21:00 to 23/02/21, 00:00	Assess potential for shifting operations to more favourable conditions	No current activities	24/02/21, 08:33	
	Ensure water truck is on standby to apply water	Water truck is on standby	24/02/21, 08:33	
	Pre-emptive watering of stockpiles before handling	Watering not required	24/02/21, 08:33	
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	24/02/21, 08:33	
Low Trigger 23/02/21, 18:00 to 23/02/21, 21:00	Assess potential for shifting operations to more favourable conditions	No current activities	24/02/21, 18:21	
	Ensure water truck is on standby to apply water	Water truck is on standby	24/02/21, 18:21	
	Pre-emptive watering of stockpiles before handling	Watering not required	24/02/21, 18:21	
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	24/02/21, 18:21	

Visual Observations

No triggers during this period

Trigger Action Response Plan - Response Summary

The tables below show the triggers that were generated as part of the Adelaide Brighton Cement Trigger Action Response Plan (TARP) between 01 March, 2021 and 01 April, 2021 along with the resulting management actions taken.

DT1 Southern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 07/03/21, 21:00 to 08/03/21, 00:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 00:22
Medium Trigger 08/03/21, 00:00 to 08/03/21, 01:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 00:21
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	08/03/21, 00:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 01:55
Medium Trigger 11/03/21, 08:00 to 11/03/21, 12:37	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 08:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/03/21, 08:32
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	11/03/21, 08:32
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 12:37
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/03/21, 12:37
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	11/03/21, 12:37
Low Trigger 12/03/21, 02:00 to 12/03/21, 06:59	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 06:59
Medium Trigger 12/03/21, 06:00 to 12/03/21, 06:59	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 06:59
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	12/03/21, 06:59
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	12/03/21, 06:59
Low Trigger 12/03/21, 08:00 to 12/03/21, 09:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 09:33
Low Trigger 12/03/21, 22:00 to 13/03/21, 01:38	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 01:38
Low Trigger 13/03/21, 01:00 to 13/03/21, 01:39	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 01:39
Medium Trigger 17/03/21, 06:00 to 17/03/21, 13:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 05:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 06:30
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/03/21, 06:30
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 08:04
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 13:10

Low Trigger 18/03/21, 04:00 to 18/03/21, 04:32	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 04:32
Medium Trigger 18/03/21, 07:00 to 18/03/21, 09:25	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 09:25
Low Trigger 18/03/21, 22:00 to 19/03/21, 03:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 03:10
Low Trigger 19/03/21, 14:00 to 19/03/21, 14:25	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 14:25
Low Trigger 19/03/21, 16:00 to 19/03/21, 16:17	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 16:16
Low Trigger 20/03/21, 01:00 to 20/03/21, 06:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:55
Low Trigger 20/03/21, 06:00 to 20/03/21, 06:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:55
Medium Trigger 20/03/21, 08:00 to 20/03/21, 10:25	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 08:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 08:58
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 08:58
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 09:45
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 09:45
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 09:45
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 10:25
Medium Trigger 20/03/21, 14:00 to 20/03/21, 17:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 14:15
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 14:15
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 14:15
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 17:20
Low Trigger 20/03/21, 20:00 to 21/03/21, 00:34	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 00:33
Low Trigger 20/03/21, 22:00 to 21/03/21, 00:34	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 00:34
Medium Trigger 21/03/21, 21:00 to 21/03/21, 21:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 20:33
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 21:29
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 21:29
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/03/21, 21:29
Medium Trigger 22/03/21, 08:00 to 22/03/21, 09:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 07:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 08:28
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 08:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 09:27
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 09:27

Low Trigger 22/03/21, 22:00 to 23/03/21, 02:48	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 23:00
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 02:47
High Trigger 23/03/21, 09:00 to 23/03/21, 09:58	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 06:26
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 09:56
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 09:56
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 09:56
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	Other (provide comments)	23/03/21, 09:56
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	23/03/21, 09:56
	Mobilise water cart or apply additional water sprays	Other (provide comments)	23/03/21, 09:56
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/03/21, 09:57
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	29/03/21, 09:57
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 08:39
High Trigger 29/03/21, 08:00 to 29/03/21, 09:57	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 08:39
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	31/03/21, 08:39
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	Reduced activity rates	31/03/21, 08:39
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	31/03/21, 08:39
	Mobilise water cart or apply additional water sprays	Mobilised water cart	31/03/21, 08:39
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 10:03
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 10:03
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 10:03
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	Other (provide comments)	31/03/21, 10:03
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	31/03/21, 10:03
	Mobilise water cart or apply additional water sprays	Other (provide comments)	31/03/21, 10:03
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 10:42
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 10:42
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 10:42
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	Other (provide comments)	31/03/21, 10:42
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Other (provide comments)	31/03/21, 10:42
	High Trigger 31/03/21, 08:00 to 31/03/21, 14:58	Mobilise water cart or apply additional water sprays	Other (provide comments)
Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required		Operators alerted	31/03/21, 14:58

Low Trigger 31/03/21, 16:00 to 31/03/21, 17:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 16:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 17:28
Low Trigger 31/03/21, 20:00 to 31/03/21, 21:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 21:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/04/21, 00:39
Medium Trigger 31/03/21, 23:00 to 01/04/21, 04:54	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	01/04/21, 00:39
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/04/21, 02:52
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/04/21, 04:54
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/04/21, 04:54

DT2 Eastern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 01/03/21, 09:00 to 01/03/21, 16:12	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/03/21, 16:12
Medium Trigger 02/03/21, 09:00 to 03/03/21, 07:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	No operators in the area	03/03/21, 07:29
Medium Trigger 03/03/21, 08:00 to 03/03/21, 10:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 10:29
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	03/03/21, 10:29
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	03/03/21, 10:29
Medium Trigger 03/03/21, 10:00 to 03/03/21, 10:30	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 10:30
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	03/03/21, 10:30
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	03/03/21, 10:30
Low Trigger 03/03/21, 17:00 to 03/03/21, 18:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 18:19
Low Trigger 04/03/21, 18:00 to 04/03/21, 18:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/03/21, 18:23
Low Trigger 05/03/21, 18:00 to 05/03/21, 19:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/03/21, 19:43
Medium Trigger 06/03/21, 03:00 to 06/03/21, 03:58	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/03/21, 02:25
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/03/21, 03:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	06/03/21, 03:58
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	06/03/21, 03:58
Medium Trigger 07/03/21, 02:00 to 07/03/21, 02:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 02:24
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	07/03/21, 02:24
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	07/03/21, 02:24
Low Trigger 07/03/21, 06:00 to 07/03/21, 10:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 06:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 10:42
High Trigger 07/03/21, 21:00 to 08/03/21, 01:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 00:22
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	08/03/21, 00:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 01:55
Low Trigger 08/03/21, 15:00 to 08/03/21, 17:13	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 17:12
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 07:19
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 09:03
	Ensure all routine dust management practices have been implemented	Other (provide comments)	10/03/21, 09:03

	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 17:16
Medium Trigger 10/03/21, 07:00 to 10/03/21, 17:18	Ensure all routine dust management practices have been implemented	Other (provide comments)	10/03/21, 17:16
	Other	No action required - other (provide comments)	10/03/21, 17:16
Medium Trigger 11/03/21, 04:00 to 11/03/21, 07:03	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 07:03
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 07:15
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/03/21, 07:15
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	11/03/21, 07:15
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 08:31
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/03/21, 08:31
Medium Trigger 11/03/21, 07:00 to 11/03/21, 12:36	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	11/03/21, 08:31
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 12:36
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 06:59
Medium Trigger 12/03/21, 04:00 to 12/03/21, 06:59	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	12/03/21, 06:59
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	12/03/21, 06:59
Low Trigger 12/03/21, 08:00 to 12/03/21, 09:33	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 09:33
Medium Trigger 13/03/21, 00:00 to 13/03/21, 01:40	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 01:39
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 04:38
High Trigger 13/03/21, 03:00 to 13/03/21, 04:39	Other	No action required - other (provide comments)	13/03/21, 04:38
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 03:55
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/03/21, 03:55
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 05:06
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/03/21, 05:06
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 05:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 06:30
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 08:03
High Trigger 17/03/21, 03:00 to 17/03/21, 13:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 13:09
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 23:01
Medium Trigger 17/03/21, 17:00 to 17/03/21, 23:02	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/03/21, 23:01
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	17/03/21, 23:01
Low Trigger 17/03/21, 19:00 to 17/03/21, 23:02	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 23:02
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 23:03

Medium Trigger 17/03/21, 21:00 to 17/03/21, 23:03	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/03/21, 23:03	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	17/03/21, 23:03	
Low Trigger 18/03/21, 00:00 to 18/03/21, 02:13	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 02:13	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 02:13	
Medium Trigger 18/03/21, 03:00 to 18/03/21, 04:31	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 04:31	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	18/03/21, 04:31	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	18/03/21, 04:31	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 09:24	
Low Trigger 18/03/21, 06:00 to 18/03/21, 09:25	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 03:09	
Low Trigger 18/03/21, 12:00 to 19/03/21, 03:09	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 03:10	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 03:10	
Medium Trigger 18/03/21, 15:00 to 19/03/21, 03:10	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 03:10	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	19/03/21, 03:10	
Medium Trigger 19/03/21, 08:00 to 19/03/21, 09:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 06:56	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 08:07	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 08:34	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 08:34	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 08:34	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 09:42	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 09:42	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 09:42	
	Low Trigger 19/03/21, 11:00 to 19/03/21, 11:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 11:19
	Low Trigger 19/03/21, 15:00 to 19/03/21, 16:16	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 16:16
Low Trigger 19/03/21, 17:00 to 19/03/21, 17:41	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 17:41	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:54	
Medium Trigger 20/03/21, 06:54 to 20/03/21, 07:22	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 06:54	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 06:54	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 07:22	
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 07:22	
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 07:22	
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 07:22	

	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 08:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 08:58
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 08:58
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	20/03/21, 08:58
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	20/03/21, 08:58
	Mobilise water cart or apply additional water sprays	Mobilised water cart	20/03/21, 08:58
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 09:45
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 09:45
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 09:45
High Trigger 20/03/21, 08:00 to 20/03/21, 10:24	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 10:24
Low Trigger 20/03/21, 12:00 to 20/03/21, 12:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 12:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 14:14
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 14:14
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 14:14
Medium Trigger 20/03/21, 14:00 to 20/03/21, 17:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 17:20
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 00:33
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 00:33
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	21/03/21, 00:33
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 07:06
High Trigger 20/03/21, 20:00 to 21/03/21, 07:07	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 07:06
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 20:33
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 21:27
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 21:27
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/03/21, 21:27
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	21/03/21, 21:27
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	21/03/21, 21:27
	Mobilise water cart or apply additional water sprays	Other (provide comments)	21/03/21, 21:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 23:24
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 23:24
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/03/21, 23:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 04:22

High Trigger 21/03/21, 21:00 to 22/03/21, 04:22	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 04:22
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	22/03/21, 04:22
Low Trigger 22/03/21, 04:00 to 22/03/21, 04:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 04:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 07:40
High Trigger 22/03/21, 07:00 to 22/03/21, 09:27	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 07:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 08:29
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 08:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 09:23
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 09:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 05:27
Low Trigger 23/03/21, 04:00 to 23/03/21, 05:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 06:26
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 09:53
High Trigger 23/03/21, 08:00 to 23/03/21, 09:56	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 09:53
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 09:53
Low Trigger 23/03/21, 15:00 to 23/03/21, 15:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 15:26
Low Trigger 24/03/21, 13:00 to 24/03/21, 13:34	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/03/21, 13:33
Medium Trigger 29/03/21, 03:00 to 29/03/21, 04:20	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/03/21, 04:20
Medium Trigger 30/03/21, 07:00 to 30/03/21, 08:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 08:26
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	30/03/21, 08:26
Medium Trigger 30/03/21, 22:00 to 30/03/21, 22:51	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 21:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 22:51
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	30/03/21, 22:51
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	30/03/21, 22:51
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 01:37
Medium Trigger 31/03/21, 01:00 to 31/03/21, 02:43	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 01:37
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 01:37
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 02:43
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 02:43
Medium Trigger 31/03/21, 01:00 to 31/03/21, 02:43	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 02:43
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 08:41
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 08:41

Medium Trigger 31/03/21, 08:00 to 31/03/21, 19:57	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	31/03/21, 08:41
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 10:07
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 10:07
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 10:07
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 14:59
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 16:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 17:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 19:57
	Medium Trigger 31/03/21, 23:00 to 01/04/21, 00:39	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted
Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required		Operators alerted	01/04/21, 00:39
Ensure all routine dust management practices have been implemented		Checked controls are in place and working	01/04/21, 00:39

DT3 Block 9

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 07/03/21, 21:00 to 08/03/21, 00:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 00:22
Low Trigger 11/03/21, 22:00 to 12/03/21, 06:59	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 06:58
Low Trigger 20/03/21, 03:00 to 20/03/21, 06:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:55
Low Trigger 21/03/21, 21:00 to 21/03/21, 21:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 21:29
Low Trigger 23/03/21, 08:00 to 23/03/21, 09:52	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 09:52
Low Trigger 31/03/21, 09:00 to 31/03/21, 09:49	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 09:48
Medium Trigger 31/03/21, 16:00 to 31/03/21, 16:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 16:22
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 16:22
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 16:22
Low Trigger 31/03/21, 23:00 to 01/04/21, 00:39	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/04/21, 00:38

DT5 Northern Grounds

Trigger Time	Response	Action Taken	Action Recorded
Medium Trigger 28/02/21, 22:00 to 01/03/21, 00:46	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/03/21, 00:46
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	01/03/21, 00:46
Medium Trigger 01/03/21, 08:00 to 01/03/21, 16:11	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/03/21, 16:11
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/03/21, 16:12
Medium Trigger 01/03/21, 18:00 to 03/03/21, 07:32	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:31
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:30
Low Trigger 01/03/21, 21:00 to 03/03/21, 07:31	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:30
Medium Trigger 02/03/21, 07:00 to 03/03/21, 07:30	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:30
High Trigger 02/03/21, 09:00 to 03/03/21, 07:30	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:30
Low Trigger 02/03/21, 14:00 to 03/03/21, 07:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:29
Medium Trigger 02/03/21, 19:00 to 03/03/21, 07:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:28
Low Trigger 03/03/21, 00:00 to 03/03/21, 07:28	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:27
Low Trigger 03/03/21, 07:00 to 03/03/21, 07:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 07:26
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 18:19
Medium Trigger 03/03/21, 17:00 to 03/03/21, 19:36	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	03/03/21, 19:36
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/03/21, 08:45
Medium Trigger 04/03/21, 08:00 to 04/03/21, 13:10	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/03/21, 08:45
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	04/03/21, 08:45
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	04/03/21, 08:45
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/03/21, 13:10
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	04/03/21, 13:10
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	04/03/21, 13:10
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	04/03/21, 17:27
Low Trigger 04/03/21, 17:00 to 04/03/21, 17:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/03/21, 19:43
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/03/21, 19:43
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	05/03/21, 19:43
Medium Trigger 05/03/21, 19:00 to 05/03/21, 19:58	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	05/03/21, 19:43
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/03/21, 22:29
Medium Trigger 05/03/21, 22:00 to 05/03/21, 22:30	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	05/03/21, 22:29
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	05/03/21, 22:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	05/03/21, 22:29

	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/03/21, 06:20
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/03/21, 09:09
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/03/21, 13:26
Medium Trigger 06/03/21, 10:00 to 06/03/21, 13:26	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	06/03/21, 13:26
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	06/03/21, 21:27
Low Trigger 06/03/21, 21:00 to 07/03/21, 00:40	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 00:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 00:40
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	07/03/21, 00:40
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	07/03/21, 00:40
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	07/03/21, 00:40
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	07/03/21, 00:40
	Mobilise water cart or apply additional water sprays	Other (provide comments)	07/03/21, 00:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 02:23
High Trigger 07/03/21, 00:00 to 07/03/21, 02:24	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	07/03/21, 02:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	07/03/21, 02:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 06:21
Low Trigger 07/03/21, 06:00 to 07/03/21, 10:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 10:42
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 10:42
Low Trigger 07/03/21, 09:00 to 07/03/21, 10:42	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	07/03/21, 10:42
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 00:22
Medium Trigger 07/03/21, 23:00 to 08/03/21, 01:55	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 01:55
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 05:31
Low Trigger 08/03/21, 05:00 to 08/03/21, 05:31	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 10:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 11:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 13:53
Medium Trigger 08/03/21, 13:00 to 08/03/21, 13:55	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	08/03/21, 13:53
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	08/03/21, 13:53
Low Trigger 08/03/21, 19:00 to 08/03/21, 19:48	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 19:48
Low Trigger 08/03/21, 21:00 to 08/03/21, 23:18	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	08/03/21, 23:18

Low Trigger 09/03/21, 09:00 to 09/03/21, 10:16	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/03/21, 10:16
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/03/21, 19:23
Medium Trigger 09/03/21, 19:00 to 09/03/21, 19:23	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	09/03/21, 19:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	09/03/21, 19:23
Low Trigger 09/03/21, 22:00 to 09/03/21, 22:23	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	09/03/21, 22:23
Low Trigger 10/03/21, 01:00 to 10/03/21, 01:27	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 01:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 07:19
High Trigger 10/03/21, 09:00 to 10/03/21, 17:16	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 09:03
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	10/03/21, 17:15
Low Trigger 10/03/21, 22:00 to 11/03/21, 07:02	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 07:02
Low Trigger 11/03/21, 02:00 to 11/03/21, 07:02	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 07:02
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 07:03
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 07:15
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 08:30
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	11/03/21, 08:30
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	11/03/21, 08:30
Medium Trigger 11/03/21, 08:00 to 11/03/21, 12:36	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	11/03/21, 12:36
Low Trigger 11/03/21, 21:00 to 12/03/21, 06:58	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	12/03/21, 06:58
Medium Trigger 12/03/21, 20:00 to 13/03/21, 01:38	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 01:37
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 04:37
Medium Trigger 13/03/21, 04:00 to 13/03/21, 04:38	Ensure all routine dust management practices have been implemented	Other (provide comments)	13/03/21, 04:37
Low Trigger 13/03/21, 19:00 to 13/03/21, 22:52	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 22:52
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	13/03/21, 22:52
Medium Trigger 13/03/21, 22:00 to 13/03/21, 22:52	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	13/03/21, 22:52
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	13/03/21, 22:52
Low Trigger 14/03/21, 00:00 to 14/03/21, 02:11	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/03/21, 02:11
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/03/21, 05:12
Low Trigger 14/03/21, 04:00 to 14/03/21, 06:35	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/03/21, 06:35

Low Trigger 14/03/21, 08:00 to 14/03/21, 09:26	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	14/03/21, 09:26
Medium Trigger 16/03/21, 01:00 to 16/03/21, 02:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 00:20
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 02:22
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	16/03/21, 02:22
Low Trigger 16/03/21, 03:00 to 16/03/21, 04:58	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 04:58
Low Trigger 16/03/21, 05:00 to 16/03/21, 06:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 06:29
Low Trigger 16/03/21, 07:00 to 16/03/21, 19:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 19:21
Low Trigger 16/03/21, 20:00 to 16/03/21, 22:22	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 20:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	16/03/21, 22:22
Medium Trigger 17/03/21, 02:00 to 17/03/21, 02:51	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 00:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 02:50
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	17/03/21, 02:50
Medium Trigger 17/03/21, 08:00 to 17/03/21, 13:11	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 13:10
Medium Trigger 17/03/21, 21:00 to 18/03/21, 02:13	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	17/03/21, 23:02
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 02:13
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	18/03/21, 02:13
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	18/03/21, 02:13
Low Trigger 18/03/21, 04:00 to 18/03/21, 04:32	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 04:32
Low Trigger 18/03/21, 07:00 to 18/03/21, 09:25	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 09:25
Medium Trigger 18/03/21, 11:00 to 18/03/21, 17:15	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	18/03/21, 17:14
Low Trigger 18/03/21, 13:00 to 19/03/21, 03:09	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 03:09
Medium Trigger 18/03/21, 19:00 to 19/03/21, 06:56	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 03:10
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 06:56
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 06:56
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 06:56
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 10:13
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 11:19
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 11:19
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 11:19

	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 12:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 14:22
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 14:22
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 14:22
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	19/03/21, 14:22
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	19/03/21, 14:22
	Mobilise water cart or apply additional water sprays	Mobilised water cart	19/03/21, 14:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 16:16
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 16:16
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 16:16
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 17:36
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 17:36
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 17:36
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	19/03/21, 17:36
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	19/03/21, 17:36
	Mobilise water cart or apply additional water sprays	Mobilised water cart	19/03/21, 17:36
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	19/03/21, 18:44
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	19/03/21, 18:44
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	19/03/21, 18:44
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:53
High Trigger 19/03/21, 13:00 to 20/03/21, 06:54	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 06:53
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 06:53
Low Trigger 19/03/21, 22:00 to 20/03/21, 06:54	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:54
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 06:54
Medium Trigger 20/03/21, 00:00 to 20/03/21, 06:54	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 06:54
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 06:54
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 07:23
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 07:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 07:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 08:59
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 08:59

	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 08:59
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 09:45
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 09:45
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 09:45
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 10:24
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 11:31
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 12:23
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 12:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 12:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 14:14
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 14:14
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 14:14
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	20/03/21, 14:14
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	20/03/21, 14:14
	Mobilise water cart or apply additional water sprays	Mobilised water cart	20/03/21, 14:14
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 17:19
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 17:19
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 17:19
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	20/03/21, 17:19
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	20/03/21, 17:19
	Mobilise water cart or apply additional water sprays	Mobilised water cart	20/03/21, 17:19
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	20/03/21, 18:40
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	20/03/21, 18:40
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	20/03/21, 18:40
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	20/03/21, 18:40
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	20/03/21, 18:40
	Mobilise water cart or apply additional water sprays	Mobilised water cart	20/03/21, 18:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 00:31
High Trigger	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 00:31
20/03/21, 14:00 to 21/03/21, 07:06	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 07:06

	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 20:02
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 20:32
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 20:32
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/03/21, 20:32
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 21:27
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 21:27
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/03/21, 21:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	21/03/21, 23:23
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	21/03/21, 23:23
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	21/03/21, 23:23
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 04:21
Medium Trigger 21/03/21, 20:00 to 22/03/21, 04:22	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 04:21
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	22/03/21, 04:21
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 07:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 08:28
Medium Trigger 22/03/21, 08:00 to 22/03/21, 09:28	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 08:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 09:27
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 20:56
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 20:56
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	22/03/21, 20:56
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	22/03/21, 22:58
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	22/03/21, 22:58
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	22/03/21, 22:58
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	22/03/21, 22:58
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	22/03/21, 22:58
	Mobilise water cart or apply additional water sprays	Other (provide comments)	22/03/21, 22:58
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 02:47
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 02:47
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 02:47
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	23/03/21, 02:47
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	23/03/21, 02:47

High Trigger 22/03/21, 21:00 to 23/03/21, 02:47	Mobilise water cart or apply additional water sprays	Other (provide comments)	23/03/21, 02:47
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 02:48
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 02:48
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 02:48
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	23/03/21, 02:48
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	23/03/21, 02:48
	Mobilise water cart or apply additional water sprays	Other (provide comments)	23/03/21, 02:48
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 03:39
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 03:39
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 03:39
	Reduce the relevant dust producing activities or reschedule to more suitable meteorological conditions	No current activities	23/03/21, 03:39
	If dust mitigation equipment is unavailable or at fault, investigate temporary alternative management practices	Investigated temporary mitigation options	23/03/21, 03:39
	Mobilise water cart or apply additional water sprays	Other (provide comments)	23/03/21, 03:39
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 05:26
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 05:26
Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 05:26	
Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 06:26	
Ensure all routine dust management practices have been implemented	Checked controls are in place and working	23/03/21, 06:26	
Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	23/03/21, 06:26	
High Trigger 23/03/21, 02:00 to 23/03/21, 06:26	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 09:58
High Trigger 23/03/21, 08:00 to 23/03/21, 09:58	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	23/03/21, 23:56
Low Trigger 23/03/21, 23:00 to 24/03/21, 01:02	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	24/03/21, 01:02
Low Trigger 28/03/21, 23:00 to 29/03/21, 04:21	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/03/21, 04:21
Medium Trigger 29/03/21, 09:00 to 29/03/21, 09:57	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/03/21, 08:22
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/03/21, 09:56
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	29/03/21, 09:56
Medium Trigger 29/03/21, 12:00 to 29/03/21, 13:16	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	29/03/21, 13:16
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	29/03/21, 13:16
Medium Trigger 30/03/21, 08:00 to 30/03/21, 09:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 08:26
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	30/03/21, 08:26
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 09:43

Low Trigger 30/03/21, 12:00 to 30/03/21, 12:29	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 12:29
Medium Trigger 30/03/21, 23:00 to 31/03/21, 02:43	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 21:28
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	30/03/21, 22:51
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 01:36
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 02:43
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 08:40
Medium Trigger 31/03/21, 08:00 to 31/03/21, 14:59	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 08:40
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - sources identified	31/03/21, 08:40
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 10:04
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 10:04
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 10:04
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 10:43
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 10:43
	Visual observations onsite to check if there are any significant visible dust emissions in the region of the exceeding monitor	Checked for dust emissions in the area - no sources identified	31/03/21, 10:43
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 14:58
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 21:29
Medium Trigger 31/03/21, 21:00 to 01/04/21, 00:38	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 21:29
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	31/03/21, 22:25
	Ensure all routine dust management practices have been implemented	Checked controls are in place and working	31/03/21, 22:25
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	01/04/21, 00:38
	Alert relevant operators that dust levels are elevated therefore heightened awareness to sources of dust is required	Operators alerted	

Meteorology - Observations

No triggers during this period

Meteorology - Forecast

Trigger Time	Response	Action Taken	Action Recorded
Low Trigger 01/03/21, 15:00 to 01/03/21, 18:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	01/03/21, 06:25
	Ensure water truck is on standby to apply water	Water truck is on standby	01/03/21, 06:25
	Assess potential for shifting operations to more favourable conditions	No current activities	03/03/21, 07:31
	Ensure water truck is on standby to apply water	Water truck is on standby	03/03/21, 07:31
	Pre-emptive watering of stockpiles before handling	Watering not required	03/03/21, 07:31
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	03/03/21, 07:31
Low Trigger 01/03/21, 18:00 to 01/03/21, 21:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	01/03/21, 06:25
	Ensure water truck is on standby to apply water	Water truck is on standby	01/03/21, 06:25
	Assess potential for shifting operations to more favourable conditions	No current activities	03/03/21, 07:31
	Ensure water truck is on standby to apply water	Water truck is on standby	03/03/21, 07:31
	Pre-emptive watering of stockpiles before handling	Watering not required	03/03/21, 07:31
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	03/03/21, 07:31
Low Trigger 03/03/21, 18:00 to 03/03/21, 21:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	03/03/21, 18:20
Low Trigger 04/03/21, 18:00 to 04/03/21, 21:00	Assess potential for shifting operations to more favourable conditions	No current activities	04/03/21, 18:23
	Ensure water truck is on standby to apply water	Water truck is on standby	04/03/21, 18:23
	Pre-emptive watering of stockpiles before handling	Watering not required	04/03/21, 18:23
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	04/03/21, 18:23
	Assess potential for shifting operations to more favourable conditions	No current activities	05/03/21, 19:58
Low Trigger 05/03/21, 18:00 to 05/03/21, 21:00	Ensure water truck is on standby to apply water	Water truck is on standby	05/03/21, 19:58
	Pre-emptive watering of stockpiles before handling	Watering not required	05/03/21, 19:58
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	05/03/21, 19:58
Low Trigger 08/03/21, 18:00 to 08/03/21, 21:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	08/03/21, 19:48
	Ensure water truck is on standby to apply water	Water truck is operational	08/03/21, 19:48
Low Trigger 09/03/21, 18:00 to 09/03/21, 21:00	Assess potential for shifting operations to more favourable conditions	No opportunity to shift operations	09/03/21, 19:22
	Ensure water truck is on standby to apply water	Water truck is on standby	09/03/21, 19:22
	Pre-emptive watering of stockpiles before handling	Watering not required	09/03/21, 19:22
	Visual observations of site every 3 hours	Operators inspecting site for visible dust	09/03/21, 19:22
Low Trigger 13/03/21, 21:00 to 14/03/21, 00:00	Assess potential for shifting operations to more favourable conditions	Shifted operations to more favourable conditions	13/03/21, 18:18
	Ensure water truck is on standby to apply water	Water truck is on standby	13/03/21, 18:18

Visual Observations

No triggers during this period