PO Box 77 Port Adelaide SA 5015



Telephone (08) 8300 0300 International +618 8300 0300 Facsimile (08) 8300 0597 www.adbri.com.au

Adelaide Brighton Cement Ltd

ABN 96 007 870 199

ANNUAL GROUND LEVEL PARTICULATE MONITORING REPORT FOR BIRKENHEAD WORKS

COMPLIANCE DATE: 31/01/22 – 2021 Annual report

EPA Licence 1126: Ground Level Particulate Monitoring and Reporting plan (U-729)

Licensed site: Adelaide Brighton Cement, Birkenhead Works

62 Elder Road, Birkenhead, SA 5015

Date of Submission: 31 January 2022

1

Version Number:



Report Submitted by: Advisor Environment (C&L (SA/NSW/NT)

I certify that I have reviewed this report and to the best of my knowledge and ability that all the information provided in this report is a true and accurate reflection of the regulatory monitoring.

Glossary

Term	Definition
µg/m³	micrograms per cubic metre
μm	micrometre
°C	degrees Celsius
m	metre
m ³	cubic metre
m³/s	cubic metres per second
Nomenclature	Definition
PM ₁₀	Particulate matter with a diameter less than 10 micrometres
PM _{2.5}	Particulate matter with a diameter less than 2.5 micrometres
24-hour average	Calendar day (midnight to midnight)
Abbreviations	Definition
ABC Air EPP GLPMRP EPA	Adelaide Brighton Cement South Australian Environment Protection (Air Quality) Policy 2016 ABC's Ground Level Particulate Monitoring and Reporting Plan Environment Protection Authority

Sampling Locations	Map showing sampling locations, major infrastructure, sensitive environmental receptors, and north arrow
	Sampling locations are indicated by colour-coded dots on the above map.We intermine the interm
Monitoring Objective	 points are in the community (corner of Gunn/ Well streets and Community Park). Annual report to include the following: Monitoring data for each monitor (on site and off site) including EPA monitor (Le Fevre 1) for comparison as follows
	 Yearly time series graph of 24-hour average PM₁₀ concentrations reported against the Air EPP for PM₁₀ of 50 micrograms per cubic metre (24-hour average).
	 Yearly time series graph of 24-hour average PM_{2.5} concentrations reported against the Air EPP for PM_{2.5} of 25 micrograms per cubic metre (24-hour average).
Monitoring Plan	This monitoring report has been prepared in compliance with the Ground Level Particulate Monitoring and Reporting Plan, approved 18 June 2018 by the South Australian EPA.
	The Plan is available on the ABC Birkenhead Community Website: http://www.birkenheadcommunity.com.au/
Monitoring Data	This report contains monitoring data only. For analysis of the monitoring data, refer to the following;
	 2021 Quarterly Ground Level Particulate Monitoring Reports 2021 Quarterly Dust Management Reports.



























